

**CENTRALI FRIGORIFERE
CARENATE E SILENZIATE CON
CONDENSATORE AD ARIA A BORDO**

**MULTICOMPRESSOR PACKS
CAREENED AND SILENCER
WITH AIR COOLED CONDENSING**

**VERBUNDANLAGEN
MIT VERKLEIDUNG
MIT LUFTVERFLÜSSIGER**

SENZA INVERTER

WITHOUT INVERTER

OHNE INVERTER

Modello Model Modell	Compressore Compressor Kompressoren				Ventilatori condensatore Fans condenser Lüfter Kondensator			
	n° x HP nom. cad.	Vol.spot. Displac. Fördervol. [m3/h] tot.	Tensione Voltage Spannung	Assorb.tot. * Power input * Stromaufnahme * [W] tot. [A] tot.	n°xdiam.	n° poli	Assorbimento Power input Stromaufnahme [W] tot. [A] tot.	

MOTOVENTILATORI 4 POLI

4 POLES FAN MOTORS

4 POLE KÜHLÜFTER

AMP1B4SED0200T3N	3 x 0,5	11,58	380/3/50	2400	4,77	2 x 450	4	490	220/150	2,2
AMP1B4SED0300T3N	3 x 0,75	15,90		3480	6,45					
AMP1B4SED0400T3N	3 x 1	20,25		4140	7,5					
AMP1B4SED0450T3N	3 x 1,5	23,13		4860	8,94					
AMP1B4SED0500T3N	3 x 1,8	25,41		5220	10,65					
AMP1B4SED0550T3N	3 x 2	29,64		6120	11,79					
AMP1B4SED0600T3N	3 x 2,2	32,55		6780	12,48					
AMP1B4SED0700T3N	3 x 2,5	36,51		7980	14,13					
AMP1B4SED0800T3N	3 x 2,9	44,22		8340	16,17					
AMP1B4SED0850T3N	3 x 3	47,82		9120	17,19					
AMP1B4SED1000T3N	3 x 3,5	52,59		10620	19,23					
AMP1B4SED1120T3N	3 x 3,8	58,59		11910	21,06					
AMP1B4SED1100T3N	3 x 3,9	58,59		12000	22,44					
AMP1B4SED1300T3N	3 x 4	69,93		15060	34,02					
AMP1B4SED1270T3N	3 x 4	68,49		13350	30,15					

MOTOVENTILATORI 6 POLI

6 POLES FAN MOTORS

6 POLE KÜHLÜFTER

AMP1B6SED0200T3N	3 x 0,5	11,58	380/3/50	2400	4,77	2 x 450	6	320	220/150	1,58
AMP1B6SED0300T3N	3 x 0,75	15,90		3480	6,45					
AMP1B6SED0400T3N	3 x 1	20,25		4140	7,5					
AMP1B6SED0450T3N	3 x 1,5	23,13		4860	8,94					
AMP1B6SED0500T3N	3 x 1,8	25,41		5220	10,65					
AMP1B6SED0550T3N	3 x 2	29,64		6120	11,79					
AMP1B6SED0600T3N	3 x 2,2	32,55		6780	12,48					
AMP1B6SED0700T3N	3 x 2,5	36,51		7980	14,13					
AMP1B6SED0800T3N	3 x 2,9	44,22		8340	16,17					
AMP1B6SED0850T3N	3 x 3	47,82		9120	17,19					
AMP1B6SED1000T3N	3 x 3,5	52,59		10620	19,23					
AMP2B6SED1120T3N	3 x 3,8	58,59		11910	21,06					
AMP2B6SED1100T3N	3 x 3,9	58,59		12000	22,44					
AMP2B6SED1300T3N	3 x 4	69,93		15060	34,02					
AMP2B6SED1270T3N	3 x 4	68,49		13350	30,15					
AMP2B6SED1600T3N	3 x 5	79,32		16200	36,60					
AMP2B6SED2050T3N	3 x 7,5	97,62	18480	36,60						
AMP2B6SED2400T3N	3 x 7,5	115,92	21930	41,16						
AMP4B6SED3300T3N	3 x 10	146,40	29430	55,89						
AMP4B6SED3800T3N	3 x 15	170,85	33840	66,27						

MOTOVENTILATORI 8 POLI

8 POLES FAN MOTORS

8 POLE KÜHLÜFTER

AMP1B8SED0200T3N	3 x 0,5	11,58	380/3/50	2400	4,77	2 x 500	8	280	220/150	1,30
AMP1B8SED0300T3N	3 x 0,75	15,90		3480	6,45					
AMP1B8SED0400T3N	3 x 1	20,25		4140	7,5					
AMP1B8SED0450T3N	3 x 1,5	23,13		4860	8,94					
AMP1B8SED0500T3N	3 x 1,8	25,41		5220	10,65					
AMP1B8SED0550T3N	3 x 2	29,64		6120	11,79					
AMP1B8SED0600T3N	3 x 2,2	32,55		6780	12,48					
AMP1B8SED0700T3N	3 x 2,5	36,51		7980	14,13					
AMP1B8SED0800T3N	3 x 2,9	44,22		8340	16,17					
AMP2B8SED0850T3N	3 x 3	47,82		9120	17,19					
AMP2B8SED1000T3N	3 x 3,5	52,59		10620	19,23					
AMP2B8SED1120T3N	3 x 3,8	58,59		11910	21,06					
AMP2B8SED1100T3N	3 x 3,9	58,59		12000	22,44					
AMP2B8SED1300T3N	3 x 4	69,93		15060	34,02					
AMP2B8SED1270T3N	3 x 4	68,49		13350	30,15					
AMP2B8SED1600T3N	3 x 5	79,32		16200	36,60					
AMP3B8SED2050T3N	3 x 7,5	97,62	18480	36,60						
AMP3B8SED2400T3N	3 x 7,5	115,92	21930	41,16						
AMP4B8SED3300T3N	3 x 10	146,40	29430	55,89						

MOTOVENTILATORI 12 POLI

12 POLES FAN MOTORS

12 POLE KÜHLÜFTER

AMP3B12SED1300T3N	3 x 4	69,93	380/3/50	15060	34,02	2 x 800	12	740	400/3/50	2,40
AMP3B12SED1270T3N	3 x 4	68,49		13350	30,15					
AMP3B12SED1600T3N	3 x 5	79,32		16200	36,60					
AMP3B12SED2050T3N	3 x 7,5	97,62		18480	36,60					
AMP3B12SED2400T3N	3 x 7,5	115,92		21930	41,16					

MOTOVENTILATORI 12 POLI RALLENTATO

12 POLES DECELERATED FAN MOTORS

12 POLE VERLANGSAMT KÜHLÜFTER

AMP3B12RSED0850T3N	3 x 3	47,82	380/3/50	9120	17,19	2 x 800	12R	400	400/3/50	1,00
AMP3B12RSED1000T3N	3 x 3,5	52,59		10620	19,23					
AMP3B12RSED1120T3N	3 x 3,8	58,59		11910	21,06					
AMP3B12RSED1100T3N	3 x 3,9	58,59		12000	22,44					
AMP3B12RSED1300T3N	3 x 4	69,93		15060	34,02					
AMP3B12RSED1270T3N	3 x 4	68,49		13350	30,15					
AMP3B12RSED1600T3N	3 x 5	79,32		16200	36,60					
AMP3B12RSED2050T3N	3 x 7,5	97,62		18480	36,60					

* Tev=20°C Tcn=+45°C

**CENTRALI FRIGORIFERE
CARENATE E SILENZIATE CON
CONDENSATORE AD ARIA A BORDO**

**MULTICOMPRESSOR PACKS
CAREENED AND SILENCER
WITH AIR COOLED CONDENSING**

**VERBUNDANLAGEN
MIT VERKLEIDUNG
MIT LUFTVERFLÜSSIGER**

SENZA INVERTER

WITHOUT INVERTER

OHNE INVERTER

Modello Model Modell	Compressore Compressor Kompressoren n° x HP nom. cad.	attacchi [mm] connection [mm] Anschlusse [mm]		dimensioni - [mm] dimension [mm] Abmessungen [mm]		
		liquido liquid Flüssig	aspirazione suction Saug	L	P	H

MOTOVENTILATORI 4 POLI

4 POLES FAN MOTORS

4 POLE KÜHLÜFTER

Modello	Compressore	attacchi [mm]	dimensioni - [mm]
AMP1B4SED0200T3N	3 x 0,5	12 22	1300 900 1850
AMP1B4SED0300T3N	3 x 0,75	12 22	
AMP1B4SED0400T3N	3 x 1	12 28	
AMP1B4SED0450T3N	3 x 1,5	16 28	
AMP1B4SED0500T3N	3 x 1,8	16 28	
AMP1B4SED0550T3N	3 x 2	16 35	
AMP1B4SED0600T3N	3 x 2,2	16 35	
AMP1B4SED0700T3N	3 x 2,5	16 35	
AMP1B4SED0800T3N	3 x 2,9	16 35	
AMP1B4SED0850T3N	3 x 3	18 42	
AMP1B4SED1000T3N	3 x 3,5	18 42	
AMP1B4SED1120T3N	3 x 3,8	18 42	
AMP1B4SED1100T3N	3 x 3,9	18 42	
AMP1B4SED1300T3N	3 x 4	22 42	
AMP1B4SED1270T3N	3 x 4	22 42	

MOTOVENTILATORI 6 POLI

6 POLES FAN MOTORS

6 POLE KÜHLÜFTER

Modello	Compressore	attacchi [mm]	dimensioni - [mm]
AMP1B6SED0200T3N	3 x 0,5	12 22	1300 900 1850
AMP1B6SED0300T3N	3 x 0,75	12 22	
AMP1B6SED0400T3N	3 x 1	12 28	
AMP1B6SED0450T3N	3 x 1,5	16 28	
AMP1B6SED0500T3N	3 x 1,8	16 28	
AMP1B6SED0550T3N	3 x 2	16 35	
AMP1B6SED0600T3N	3 x 2,2	16 35	
AMP1B6SED0700T3N	3 x 2,5	16 35	
AMP1B6SED0800T3N	3 x 2,9	16 35	
AMP1B6SED0850T3N	3 x 3	18 42	
AMP1B6SED1000T3N	3 x 3,5	18 42	
AMP2B6SED1120T3N	3 x 3,8	18 42	
AMP2B6SED1100T3N	3 x 3,9	18 42	
AMP2B6SED1300T3N	3 x 4	22 42	
AMP2B6SED1270T3N	3 x 4	22 42	
AMP2B6SED1600T3N	3 x 5	22 54	
AMP2B6SED2050T3N	3 x 7,5	28 54	
AMP2B6SED2400T3N	3 x 7,5	28 54	
AMP4B6SED3300T3N	3 x 10	28 67	
AMP4B6SED3800T3N	3 x 15	28 67	

MOTOVENTILATORI 8 POLI

8 POLES FAN MOTORS

8 POLE KÜHLÜFTER

Modello	Compressore	attacchi [mm]	dimensioni - [mm]
AMP1B8SED0200T3N	3 x 0,5	12 22	1300 900 1850
AMP1B8SED0300T3N	3 x 0,75	12 22	
AMP1B8SED0400T3N	3 x 1	12 28	
AMP1B8SED0450T3N	3 x 1,5	16 28	
AMP1B8SED0500T3N	3 x 1,8	16 28	
AMP1B8SED0550T3N	3 x 2	16 35	
AMP1B8SED0600T3N	3 x 2,2	16 35	
AMP1B8SED0700T3N	3 x 2,5	16 35	
AMP1B8SED0800T3N	3 x 2,9	16 35	
AMP2B8SED0850T3N	3 x 3	18 42	
AMP2B8SED1000T3N	3 x 3,5	18 42	
AMP2B8SED1120T3N	3 x 3,8	18 42	
AMP2B8SED1100T3N	3 x 3,9	18 42	
AMP2B8SED1300T3N	3 x 4	22 42	
AMP2B8SED1270T3N	3 x 4	22 42	
AMP2B8SED1600T3N	3 x 5	22 54	
AMP3B8SED2050T3N	3 x 7,5	28 54	
AMP3B8SED2400T3N	3 x 7,5	28 54	
AMP4B8SED3300T3N	3 x 10	28 67	

MOTOVENTILATORI 12 POLI

12 POLES FAN MOTORS

12 POLE KÜHLÜFTER

Modello	Compressore	attacchi [mm]	dimensioni - [mm]
AMP3B12SED1300T3N	3 x 4	22 42	2700 1160 1850
AMP3B12SED1270T3N	3 x 4	22 42	
AMP3B12SED1600T3N	3 x 5	22 54	
AMP3B12SED2050T3N	3 x 7,5	28 54	
AMP3B12SED2400T3N	3 x 7,5	28 54	

MOTOVENTILATORI 12 POLI RALLENTATO

12 POLES DECELERATED FAN MOTORS

12 POLE VERLANGSAMT KÜHLÜFTER

Modello	Compressore	attacchi [mm]	dimensioni - [mm]
AMP3B12RSED0850T3N	3 x 3	18 42	2700 1160 1850
AMP3B12RSED1000T3N	3 x 3,5	18 42	
AMP3B12RSED1120T3N	3 x 3,8	18 42	
AMP3B12RSED1100T3N	3 x 3,9	18 42	
AMP3B12RSED1300T3N	3 x 4	22 42	
AMP3B12RSED1270T3N	3 x 4	22 42	
AMP3B12RSED1600T3N	3 x 5	22 54	
AMP3B12RSED2050T3N	3 x 7,5	28 54	

**CENTRALI FRIGORIFERE
CARENATE E SILENZIATE CON
CONDENSATORE AD ARIA A BORDO**

**MULTICOMPRESSOR PACKS
CAREENED AND SILENCER
WITH AIR COOLED CONDENSING**

**VERBUNDANLAGEN
MIT VERKLEIDUNG
MIT LUFTVERFLÜSSIGER**

SENZA INVERTER

WITHOUT INVERTER

OHNE INVERTER

RESA FRIGORIFERA

PERFORMANCE DATA

KÄLTELEISTUNG

modello model Modell	Compressore Compressor Kompress. n° x HP nom. cad.	Temp.amb.. Ambient tem. Umgebungst.	temp. evaporazione - evaporating temp. - Verdampfungstemp.			
			-20°C	-25°C	-30°C	-35°C

MOTOVENTILATORI 4 POLI		4 POLES FAN MOTORS		4 POLE KÜHLÜFTER		
AMP1B4SED0200T3N	3 x 0,5	32°C	4110	3300	2610	1980
AMP1B4SED0300T3N	3 x 0,75		5730	4650	3690	2820
AMP1B4SED0400T3N	3 x 1		6780	5520	4380	3390
AMP1B4SED0450T3N	3 x 1,5		7590	6210	4950	3840
AMP1B4SED0500T3N	3 x 1,8		8280	6810	5460	4230
AMP1B4SED0550T3N	3 x 2		10380	8400	6660	5130
AMP1B4SED0600T3N	3 x 2,2		11310	9180	7290	5610
AMP1B4SED0700T3N	3 x 2,5		12480	10140	8040	6180
AMP1B4SED0800T3N	3 x 2,9		13740	11160	8820	6750
AMP1B4SED0850T3N	3 x 3		14640	11970	9510	7290
AMP1B4SED1000T3N	3 x 3,5		17430	14190	11190	8550
AMP1B4SED1120T3N	3 x 3,8		19230	15780	12660	9840
AMP1B4SED1100T3N	3 x 3,9		18930	15510	12450	9660
AMP1BSED1300T3N	3 x 4		22050	18270	14760	11520
AMP1B4SED1270T3N	3 x 4		21480	17670	14160	10980

MOTOVENTILATORI 6 POLI		6 POLES FAN MOTORS		6 POLE KÜHLÜFTER		
AMP1B6SED0200T3N	3 x 0,5	32°C	4080	3270	2580	1980
AMP1B6SED0300T3N	3 x 0,75		5640	4560	3630	2790
AMP1B6SED0400T3N	3 x 1		6630	5430	4320	3330
AMP1B6SED0450T3N	3 x 1,5		7410	6090	4860	3780
AMP1B6SED0500T3N	3 x 1,8		8070	6660	5340	4170
AMP1B6SED0550T3N	3 x 2		10140	8250	6540	5040
AMP1B6SED0600T3N	3 x 2,2		10980	9000	7170	5520
AMP1B6SED0700T3N	3 x 2,5		12120	9900	7860	6090
AMP1B6SED0800T3N	3 x 2,9		13260	10830	8640	6630
AMP1B6SED0850T3N	3 x 3		14910	12150	9600	7350
AMP1B6SED1000T3N	3 x 3,5		16560	13560	10800	8310
AMP2B6SED1120T3N	3 x 3,8		20130	16410	13050	10110
AMP2B6SED1100T3N	3 x 3,9		19800	16140	12870	9930
AMP2B6SED1300T3N	3 x 4		23400	19170	15360	11940
AMP2B6SED1270T3N	3 x 4		22680	18480	14700	11310
AMP2B6SED1600T3N	3 x 5		26610	21990	17760	13920
AMP2B6SED2050T3N	3 x 7,5		34650	28530	23040	18150
AMP2B6SED2400T3N	3 x 7,5		39570	32850	26640	21000
AMP4B6SED3300T3N	3 x 10		58850	46920	38010	30180
AMP4B6SED3800T3N	3 x 15		63300	52350	42480	33720

MOTOVENTILATORI 8 POLI		8 POLES FAN MOTORS		8 POLE KÜHLÜFTER		
AMP1B8SED0200T3N	3 x 0,5	32°C	4050	3270	2580	1980
AMP1B8SED0300T3N	3 x 0,75		5580	4530	3600	2790
AMP1B8SED0400T3N	3 x 1		6540	5370	4290	3330
AMP1B8SED0450T3N	3 x 1,5		7290	6000	4830	3780
AMP1B8SED0500T3N	3 x 1,8		7920	6570	5310	4110
AMP1B8SED0550T3N	3 x 2		10050	8190	6510	5010
AMP1B8SED0600T3N	3 x 2,2		10890	8910	7110	5490
AMP1B8SED0700T3N	3 x 2,5		12000	9810	7800	6030
AMP1B8SED0800T3N	3 x 2,9		13080	10740	8550	6570
AMP2B8SED0850T3N	3 x 3		15810	12750	9990	7590
AMP2B8SED1000T3N	3 x 3,5		17580	14250	11250	9580
AMP2B8SED1120T3N	3 x 3,8		19380	15900	12750	9900
AMP2B8SED1100T3N	3 x 3,9		19080	15660	12510	9720
AMP2B8SED1300T3N	3 x 4		23490	19200	15390	11940
AMP2B8SED1270T3N	3 x 4		22770	18510	14730	11340
AMP2B8SED1600T3N	3 x 5		26730	22050	17820	13950
AMP3B8SED2050T3N	3 x 7,5		33570	27840	22560	17880
AMP3B8SED2400T3N	3 x 7,5		42840	35010	28020	21900
AMP4B8SED3300T3N	3 x 10		53850	44760	36510	29190

MOTOVENTILATORI 12 POLI		12 POLES FAN MOTORS		12 POLE KÜHLÜFTER		
AMP3B12SED1300T3N	3 x 4	32°C	24990	20310	16080	12390
AMP3B12SED1270T3N	3 x 4		24060	19380	15300	11700
AMP3B12SED1600T3N	3 x 5		28680	23400	18720	14550
AMP3B12SED2050T3N	3 x 7,5		34860	28710	23130	18210
AMP3B12SED2400T3N	3 x 7,5		39900	33060	26730	21090

MOTOVENTILATORI 12 POLI RALLENTATO		12 POLES DECELERATED FAN MOTORS		12 POLE VERLANGSAMT KÜHLÜFTER		
AMP3B12RSED0850T3N	3 x 3	32°C	16620	13260	10320	7770
AMP3B12RSED1000T3N	3 x 3,5		18510	14880	11670	8850
AMP3B12RSED1120T3N	3 x 3,8		20640	16740	13320	10260
AMP3B12RSED1100T3N	3 x 3,9		20370	16500	13080	10080
AMP3B12RSED1300T3N	3 x 4		24150	19740	15690	12150
AMP3B12RSED1270T3N	3 x 4		23340	18900	14970	11490
AMP3B12RSED1600T3N	3 x 5		27600	22680	18210	14250
AMP3B12RSED2050T3N	3 x 7,5		33120	27570	22380	17730

Temperatura gas aspirato +20°C - Suction gas temperature +20°C - Sauggastemperatur +20°C

Rese frigorifere senza sottoraffreddamento del liquido - Capacity rating without liquid subcooling - Kälteleistungen ohne Flüssigkeitsunterkühlung